

EEEEEEEEEEEEEE	DDDDDDDDDDDD	TTTTTTTTTTTT
EEEEEEEEEEEEEE	DDDDDDDDDDDD	TTTTTTTTTTTT
EEEEEEEEEEEEEE	DDDDDDDDDDDD	TTTTTTTTTTTT
EEE	DDD	TTT
EEEEEEEEEEEEEE	DDDDDDDDDDDD	TTT
EEEEEEEEEEEEEE	DDDDDDDDDDDD	TTT
EEEEEEEEEEEEEE	DDDDDDDDDDDD	TTT

FILEID**EDTVECTOR

J 5

EEEEEEEEEE DDDDDDDDD TTTTTTTTTT VV VV EEEEEEEEEEE CCCCCCCCCC TTTTTTTTTT 000000 RRRRRRRR
EEEEEEEEEE DDDDDDDDD TTTTTTTTTT VV VV EEEEEEEEEEE CCCCCCCCCC TTTTTTTTTT 000000 RRRRRRRR
EE DD DD TT VV VV EE CC TT 00 00 RR RR
EE DD DD TT VV VV EE CC TT 00 00 RR RR
EE DD DD TT VV VV EE CC TT 00 00 RR RR
EE DD DD TT VV VV EE CC TT 00 00 RR RR
EE DD DD TT VV VV EEEEEEEE CC TT 00 00 RR RR
EE DD DD TT VV VV EEEEEEEE CC TT 00 00 RR RR
EE DD DD TT VV VV EE CC TT 00 00 RR RR
EE DD DD TT VV VV EE CC TT 00 00 RR RR
EE DDDDDDDD TT VV VV EEEEEEEE CCCCCCCC TT 000000 RR RR
EE DDDDDDDD TT VV VV EEEEEEEE CCCCCCCC TT 000000 RR RR

0000 1 .TITLE EDT\$VECTOR EDT Transfer Vectors
0000 2 :IDENT 'V04-000'
0000 3
0000 4
0000 5 *****
0000 6 *
0000 7 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 * ALL RIGHTS RESERVED.
0000 10 *
0000 11 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 * TRANSFERRED.
0000 17 *
0000 18 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 * CORPORATION.
0000 21 *
0000 22 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 *
0000 25 *
0000 26 *****
0000 27
0000 28 ++ Facility:
0000 29
0000 30
0000 31 DEC Standard Editor (EDT)
0000 32
0000 33 Abstract:
0000 34
0000 35 EDT transfer vectors. This module is only used to build the
0000 36 shareable image.
0000 37
0000 38 Author:
0000 39
0000 40 Shelly T. Solomon 25-Dec-1981
0000 41
0000 42 Revision history:
0000 43
0000 44 1-002 - Add routine EDT\$WORK10. STS 12-Feb-1982
0000 45 1-003 - Change PSECTS to minimize image sections. STS 09-Aug-1982
0000 46 1-004 - Add routine EDT\$XLATE. STS 16-Aug-1982
0000 47 --

	0000	49	.MACRO	VECTOR ROUTINE	
	0000	50	.TRANSFER	ROUTINE	
	0000	51	.MASK	ROUTINE	
	0000	52	JMP	ROUTINE+2	
	0000	53	.ENDM	VECTOR	
	0000	54	.SHOW	MEB	
	00000000	55	.PSECT	\$SEDT_VECTOR, RD, NOWRT, PIC, SHR, EXE, PAGE	
	00000000	56		; Vector PSECT	
	00000000	57	60	EDT\$\$VECTOR:	; Vectored entry points:
	00000000	58			
	00000000	59			
	00000000	60	.ALIGN	PAGE	
	00000000	61			
	00000000	62	.VECTOR	EDT\$EDIT	
	00000000	63	.MASK	EDT\$EDIT	
00000002'EF	0000'0000	64	JMP	EDT\$EDIT+2	
	17 0002		.VECTOR	EDT\$FILEIO	
	0008	65	.MASK	EDT\$FILEIO	
00000002'EF	0000'0008		JMP	EDT\$FILEIO+2	
	17 000A		.VECTOR	EDT\$WORKIO	
	0010	66	.MASK	EDT\$WORKIO	
00000002'EF	0000'0010		JMP	EDT\$WORKIO+2	
	17 0012		.VECTOR	EDT\$XLATE	
	0000'0018	67	.MASK	EDT\$XLATE	
00000002'EF	0000'0018		JMP	EDT\$XLATE+2	
	17 001A		.END		
	0020	68			

EDT\$VECTOR
Symbol table

EDT Transfer Vectors

M 5

15-SEP-1984 23:42:06 VAX/VMS Macro V04-00
5-SEP-1984 00:29:55 [EDT.SRC]EDTVECTOR.MAR;1

Page 3
(2)

EDT\$\$VECTOR 00000000 R 01
EDT\$EDIT ***** X 01
EDT\$FILEIO ***** X 01
EDT\$WORKIO ***** X 01
EDT\$XLATE ***** X 01

+-----+
! Psect synopsis !
+-----+

PSECT name

-----	Allocation	-----	PSECT No.	-----	Attributes	-----
ABS \$SEDT_VECTOR	00000000 (0.) 00 (0.) NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE	00000020 (32.) 01 (1.) PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC PAGE				

+-----+
! Performance indicators !
+-----+

Phase

-----	Page faults	CPU Time	Elapsed Time
Initialization	36	00:00:00.23	00:00:01.47
Command processing	123	00:00:01.19	00:00:02.74
Pass 1	55	00:00:00.71	00:00:01.22
Symbol table sort	0	00:00:00.00	00:00:00.01
Pass 2	19	00:00:00.44	00:00:00.61
Symbol table output	1	00:00:00.02	00:00:00.02
Psect synopsis output	1	00:00:00.05	00:00:00.05
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	235	00:00:02.68	00:00:06.14

The working set limit was 900 pages.

1105 bytes (3 pages) of virtual memory were used to buffer the intermediate code.

There were 10 pages of symbol table space allocated to hold 5 non-local and 0 local symbols.

68 source lines were read in Pass 1, producing 8 object records in Pass 2.

1 page of virtual memory was used to define 1 macro.

+-----+
! Macro library statistics !
+-----+

Macro library name

\$_255\$DUA2B:[SYSLIB]STARLET.MLB;2

Macros defined

0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/DISABLE=TRACEBACK/ENABLE=SUPPRESSION/LIS=LIS\$:EDTVECTOR/OBJ=OBJ\$:EDTVECTOR MSRC\$:EDTVECTOR.MAR/UPDATE=(ENH\$:EDTVECTOR)

0133 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

EXTEND
LIS

FOEC
LIS

FILE
LIS

FINDPARA
LIS

FCRLF
LIS

EDT
LIS

EXEC
LIS

EXECNO
LIS

FILEIO
LIS

FINDKEY
LIS

EDTVECTOR
LIS

FCOLINC
LIS

FINAL
LIS

FJOHNDR
LIS

DEEKEY
LIS

ERRMSG
LIS

ECHAR
LIS